

Masury

for permanence in paint

DRIES dust free in one hour; can be second coated in four hours.

Suitable for both interior and exterior work.

Owing to the rapidity with which these enamels dry they should not be exposed unduly to the air before being applied.

In general it is not economy to save the remnant in a can after a good part has been used. Such remnants cannot be relied upon, after the lapse of considerable time, to give normal results even with added thinner.

Masury

for permanence in paint

TO use these enamels to best advantage apply with a somewhat soft flat varnish brush which has been well cleaned.

Various beautiful color combinations can be obtained by mixing together the standard shades shown on the color card.

These enamels work easily, cover well, flow perfectly, are highly waterproof and dry with a full high lustre.

FOR SALE BY



Masury

for permanence in paint

**QUICK DRYING
COLOR VARNISH
ENAMEL**

John W. Masury & Son
New York · Chicago · San Francisco
Minneapolis · Boston

4-HOUR ENAMEL



LEGHORN



PERIWINKLE



SMOKE GRAY



ELI BLUE



REGAL RED



MOROCCO

4-HOUR ENAMEL



BAMBOO



PEACH



ORCHID



CHINESE GREEN



VERMONT GREEN



BRILLIANT RED


DENSE BLACK

POLAR WHITE

4-HOUR ENAMEL



IVORY



HAWTHORNE



LIGHT YELLOW



TANGERINE



TAFFY BROWN



MIDNIGHT BLUE

QUICK-DRYING COLOR VARNISH ENAMEL

THESE ENAMELS contain pigment and like all paints containing pigment are subject to a certain amount of settling on storage, therefore upon opening the can and before proceeding with the work, see that the contents are thoroughly stirred to a homogeneous mixture. Failure to observe this pre-

caution may lead to all sorts of difficulties later on.

For maximum durability we recommend two coats, although for mere hiding power in many instances one coat will suffice. On new wood or surfaces that are not suitably undercoated two coats are always recommended.

For an unusually fine finish, allow the first coat a few extra hours to harden then rub lightly with fine sandpaper before applying final coat.

Occasionally it may be desirable to reduce the body of these enamels, in which case we recommend turpentine as the safest and best thinner. Extra thinners should always be used sparingly.

Masury
for permanence in paint

DRIES dust free in one hour; can be second coated in four hours.

Suitable for both interior and exterior work.

Owing to the rapidity with which these enamels dry they should not be exposed unduly to the air before being applied.

In general it is not economy to save the remnant in a can after a good part has been used. Such remnants cannot be relied upon, after the lapse of considerable time, to give normal results even with added thinner.

Masury

Digitized by




ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL
www.apti.org

BUILDING
TECHNOLOGY
HERITAGE
LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

Jablonski Building Conservation
www.jbconservation.com



asury
rmanence in paint

**K DRYING
& VARNISH
ENAMEL**

John W. Masury & Son
New York · Chicago · San Francisco
Minneapolis · Boston